


# GLOBAL CRYPTO AND WEB3 SUSTAINABILITY REPORT

Sustainable Growth & Reducing Climate Impact



# The global shift away from carbon-intensive production is gaining momentum.

Here's what a green and sustainable future means for blockchain and Web3.

As the world's attention turns towards combating climate change and promoting sustainability, blockchain and cryptocurrency emerge as key players in driving this transformation. Despite the unsettling experience of witnessing a more than 70% contraction in the value of web3-related assets, the fundamental underlying technologies that have enabled web3 remain crucial. The burgeoning web3 ecosystem has attracted thousands of firms, backed by some \$94 billion in start-up funding from investors spanning venture funds, hedge funds, private equity, and other vehicles. Leading corporations, including JPMorgan, Goldman Sachs, Google, and Disney, are already weighing the potential impact of web3 on their operations and exploring novel ways to manage transactions and engage with customers.

The potential of these technologies to reduce energy consumption, lower carbon emissions, and enable more efficient financial transactions is yet to be explored to the maximum through mass adoption. The cryptocurrency industry is disrupting traditional financial institutions by revolutionizing how we exchange value, while blockchain technology is being embraced by traditional businesses to reinvent their approach. The ascent of crypto and non-fungible tokens (NFTs) has introduced affluent young consumers to the bedrock concepts of web3, such as digital wallets with platform-agnostic functionality.


In pursuing a greener future, companies, businesses, and nations alike must strive to develop solutions that align with our common goal. Blockchain technology and cryptocurrency have emerged as indispensable allies in this quest, fostering collaboration between businesses, governments, and individuals to effect lasting, positive change in the world.

Humanity's ability to shape a greener, more sustainable future for generations hinges on our collective efforts to combine forces and harness the power of these technologies.

Alena Afanaseva  
CEO and Founder  
**BE (IN) CRYPTO**

# Table of Contents

4	<b>Chapter I - Blockchain Technology: Merger of Cryptography and Smart Contracts</b>
8	<b>Real-World Use Cases of Blockchain Technology</b>
9	<b>Blockchain In Energy And Sustainability</b>
11	<b>Blockchain In Crypto and DeFi</b>
15	<b>Chapter II - Not All Cryptocurrencies Are Created Equal</b>
16	<b>Consensus Algorithms</b>
17	<b>Proof-of-Work vs. Proof-of-Stake</b>
20	<b>The Impact of PoW/PoS Algorithms on the Environment</b>
26	<b>How Is Crypto Mining Going Green?</b>
29	<b>El Salvador Relying On Bitcoin Mining Powered By Volcanoes</b>
30	<b>Hydroelectric Power Plants To Power Bitcoin Mining</b>
32	<b>Harnessing Wasted Gas</b>
34	<b>Are NFTs A Real Threat To Nature?</b>
36	<b>Chapter III - What Are The Cryptocurrencies That Are “Green” In Nature?</b>
37	<b>Efinity</b>
39	<b>Nano</b>
42	<b>Cardano</b>
46	<b>Algorand</b>
50	<b>Stellar Lumens</b>
52	<b>Conclusion</b>
54	<b>References</b>





## Chapter I -

# Blockchain Technology: Merger of Cryptography and Smart Contracts

All technology is built on previous layers and percolating concepts. When the conditions are ripe, an assortment of existing elements and needs coalesces into a new, game-changing solution. This is the story of blockchain technology in a nutshell.

Even before the first city-states existed and established regular trading routes, the question of trust was the underpinning element of all economic activity.

How can two parties reach an agreement that is satisfactory for both sides? Who enforces the agreement? What are the penalties in the case it is breached? Are third-party arbiters trustworthy?


To adequately provide solutions for these civilizational concerns, a vast edifice of law, specialists, institutions, and hierarchical reputational systems has been erected. There were tweaks here and there, but nothing significantly changed for the bulk of human history. That is, until 1991, when the blockchain concept was proposed as a research project.



## Chapter I - Blockchain Technology

Owing its existence to previous decades of digital technology development, blockchain is a game-changing technology for one simple reason. It distributes the power to access and modify data, hence why it is also called distributed ledger technology (DLT). It chronologically and cryptographically orders data blocks into a time-stamped data chain. Therefore, unlike in traditional databases, such chains cannot be altered without creating a new one — a hard fork.

However, this is just the first step in the blockchain revolution. Five years later, in 1996, cryptographer Nick Szabo developed the concept of "smart contracts." For the first time in history, they've made it possible to codify and enforce agreements without hierarchical oversight. As Szabo himself put it, the impact of smart contracts cannot be overstated:



“New institutions, and new ways to formalize the relationships that make up these institutions, are now made possible by the digital revolution. I call these new contracts ‘smart’ because they are far more functional than their inanimate paper-based ancestors. No use of artificial intelligence is implied. A smart contract is a set of promises, specified in digital form, including protocols within which the parties perform on these promises.”

Therefore, three technological layers had to combine and coalesce into a unified product to represent blockchain technology as we know it today:



- Digital revolution
- Blockchain revolution
- Smart contract revolution

That unified product turned out to be Bitcoin (BTC), created by pseudonymous Satoshi Nakamoto. Utilizing both blockchain and smart contracts, Satoshi harnessed them for a singular purpose — to create a deflationary cryptocurrency as a counter to the inflationary central banking system. This peer-to-peer electronic cash solves three key problems:

- Authenticity verification
- Digital cash's double spending
- Money supply centralization

# Chapter I - Blockchain Technology

Because of its inherent digital nature, in which files can be duplicated ad infinitum, so too can smart contract primitives representing each Bitcoin. Normally, the solution would be to entrust a third party with this potential double-spending problem. However, this would defeat the purpose of having pure P2P electronic cash.




## How Cryptocurrency transaction works

## Chapter I - Blockchain Technology


In turn, Satoshi established a proof-of-work blockchain network to tackle the double-spending obstacle while also eliminating the need for any institutions. Satoshi did this by imposing a cost on executing transactions (adding new data blocks to the chain), coming from the CPU power as proof of work.

Combined into such a CPU (hash rate) pool across the network, each node holding the entire ledger maintains the integrity of the Bitcoin chain. Consequently, the network could only be attacked if most nodes (51%) are compromised.

Fast forward from 2008 to 2022, and Bitcoin served as a vanguard for mainstreaming cryptocurrencies, blockchain as a concept, and smart contracts. At one point in November 2021, the total crypto market spearheaded by Bitcoin grew to nearly \$3 trillion.



The total cryptocurrency market cap as of March 4, 2023, is holding at \$1.17 trillion, a 61% decrease from November 2021's high point. Source: CoinMarketCap




This 1,327x growth within four years is remarkable for a decentralized industry native to the internet. Without a doubt, Bitcoin kickstarted a new online economy that spilled over across all sectors of society.

# Real-World Use Cases of Blockchain Technology

It is now common to diversify the world of blockchain into Bitcoin and altcoins, or Bitcoin and smart contract platforms such as Ethereum (ETH), Cardano (ADA), Terra (LUNA), Avalanche (AVAX), Solana (SOL), Fantom (FTM) and others. In this diversification, it is often forgotten that Bitcoin's network is also a smart contract platform.

The difference is, Bitcoin's network is solely devoted to deflationary cryptocurrency as its main product. In contrast, other blockchains are generalist smart contract platforms for dApp development and deployment. Yet, through this singular purpose, Bitcoin opened the door for many blockchain applications.



Source: Deloitte



Bitcoin showcased that record immutability, traceability, security, and transparency can be achieved globally at a relatively low cost. Because of this, it was inevitable that Bitcoin's two foundational blocks — blockchain and smart contract — would spread to all human activity that deals with the transfer of value, regardless of its form.



# Blockchain In Energy And Sustainability

As the Ukraine-Russia conflict splits apart financial and commodity markets, it is more important than ever to streamline how we use energy sources. Specifically, how to develop "smart energy" or "smart grid." The European Commission defined a smart grid as:

**“an electricity network that can intelligently integrate the actions of all users connected to its generators, consumers and those that do both in order to efficiently deliver sustainable, economic and secure electricity supplies”**



In practice, this translates to following features facilitated by blockchain networks:  
Meter transparency

- Meter transparency
- P2P energy trading
- Data security
- Compliance with energy laws
- Real-time energy price updates, fed to the blockchain network by oracles

This is made possible by IoT (Internet of Things) devices in the form of smart meters. Through oracles, this data is then fed to the immutable blockchain. On top of which is a software platform that makes it easy to access data and enable energy trading between a wider type of energy infrastructure participants.

Case in point, when Chile launched its version of the smart grid in 2018, it opted for Ethereum to store and track energy usage. This was not done by accident. Ethereum lends itself to public scrutiny as a public blockchain, as metered data is often prone to manipulation or administrative error. Having an immutable record of energy usage makes it easy to detect such discrepancies.

However, the biggest benefit of blockchain-enabled systems in energy infrastructure is P2P trading. This is best exemplified by the Australian company Power Ledger, having spread out in 10 countries since its launch in 2018. Power Ledger has been creating microgrids with the help of smart meters as networks on top of national grids.

## Chapter I - Blockchain Technology

With energy accountable down to every kilowatt, residents can trade them with each other, thus creating an agile and distributed energy market. So far, Power Ledger has supplied its blockchain solution to French ekWateur, Thailand's TDED, and Australia's CUB energy retailers.

Dr. Michael Gebert, Chairman of the European Blockchain Association e.V., believes that the technology can help us, saying,


“

I think Green Climate Funds and the use of Blockchain, and Distributed Ledger Technologies (DLT) could help us face the climate crises since new financial technologies have the potential to boost international climate funding. DLT could support climate action in two ways. One, by making transactions more transparent and standardized; two, by making monitoring and accrediting processes more efficient. For example, the Green Climate Fund, DLT could help the fund's work in areas like multi-stakeholder coordination and effect evaluation.”



# Blockchain In Crypto and DeFi

Since Bitcoin launched on January 3rd, 2009, to March 2023, over 20,000 cryptocurrencies have been launched. However, digital assets are easy to create, as Jackson Palmer and Billy Markus demonstrated. Through their own account, they created Dogecoin (DOGE) over a single weekend by tweaking the Litecoin code.




TVL (total value locked in smart contracts) ranking of DeFi chains, Source: DeFiLlama

That is to say, out of those 20k altcoins, only a tiny fraction has a significant market share and practical use. In numbers, the top 20 cryptocurrencies make up almost 90% of the total crypto market cap. Bitcoin (BTC) alone holds a 46% market share.

In second place is Ethereum (ETH), with a \$216 billion market cap, which is 60% lower than Bitcoin. However, as a generalist smart contract network, Ethereum has a much more dynamic ecosystem consisting of 4,008 dApps — decentralized applications ranging from blockchain games and NFT marketplaces to lending protocols and DAOs (Decentralized Autonomous Organizations).

dApps should not be confused with smart contracts. Rather, they serve as a web interface to blockchain's smart contracts. Given its more dynamic nature, Ethereum has 319% more transactions than Bitcoin, at 1.02 million vs. 319k, respectively.

## Transaction Count (7DMA)



SOURCE: THE BLOCK  
 UPDATED: APR 3, 2023

In turn, Bitcoin has moved on from Satoshi's original vision as electronic P2P cash and become more of a store of value, effectively becoming a digital representation of gold. This is exemplified by the fact that long-term-holders (holding BTC over 155 days) made up 71% of Bitcoin's total circulating supply in 2022.

With a high STH to LTH ratio, this means that Bitcoin's health as a digital asset is very strong.

### Short-Term Holder to Long-Term Holder Cost Basis Ratio



© 2022 Glassnode. All Rights Reserved.

glassnode

A short-term holder (STH) to long-term holder (LTH) ratio under 1.5 has historically signaled a bear market. As of March 22nd, 2022, this ratio is at 2.8.




## Chapter I - Blockchain Technology

This is important to note as Bitcoin is still the dominant gravitational force in the crypto market. As it falls or rises, it pulls or pushes other altcoins with it. When it comes to altcoins beyond Ethereum, there has been a major diversification of smart contract alternatives.

While Ethereum held dApp dominance at 73% of all dApps in 2022, this is not reflected by its market share. During the year 2021, Terra (LUNA) gained a large DeFi foothold at 12.47%, which is a \$28.41 billion total value locked (TVL) compared to Ethereum's 55.46% (\$126.32 billion).

In this way, Ethereum is losing DeFi dominance just as Bitcoin is losing overall crypto dominance. To the surprise of many investors, Terra (LUNA) surged ahead of previously dubbed "Ethereum killers," such as Solana (SOL), Avalanche (AVAX), and Fantom (FTM).



TVL (total value locked in smart contracts) ranking of DeFi chains, Source: DeFiLlama


The main reason for Terra's surge lies in its wide adoption in South Korea, serving as a fast and cheap payment network. Specifically, the payment app CHAI which has over 25 million users, runs on Terra's blockchain.

Unfortunately, algorithmic stablecoins have a long road ahead of them to gain mainstream acceptance. Due to extreme market stress, LUNA's price collapsed, bringing down the UST stablecoin with it. This caused a complete Terra ecosystem meltdown, wiping out at least \$45 billion in crypto wealth.

## Chapter I - Blockchain Technology

Stablecoins offer drastically higher interest rates compared to traditional banking savings accounts due to their higher demand. With a skewed demand/supply for stablecoins, it is common to see up to 9% APY (annual percentage yield) compared to banks' average of 0.06%. In short, stablecoins and DeFi go hand-in-hand.


### Total Stablecoin Supply



SOURCE: THE BLOCK, COIN METRICS, COINGECKO  
UPDATED: APR 10, 2023

Between March 2020 and March 2022, stablecoins grew from \$7.5 billion to \$186 billion. This was in lockstep with the growth of Ethereum's dApps for lending and token-swapping. Source: The Block

Outside of nullifying volatility and offering higher interest rates, stablecoins offer more efficient cross-border payments with 24/7 near-zero fee transfer service. Gnosis Chain (former xDAI), Terra, and TRON are just some of the DeFi blockchains aiming to replace the likes of Visa and Mastercard.



### Chapter II -

## Not All Cryptocurrencies Are Created Equal

We have already skimmed the surface of how Bitcoin works, therefore, how cryptocurrencies work. Because blockchain cannot be altered without creating a new chain, this provides a baseline for a secure peer-to-peer (P2P) payment system. The discrete units we commonly recognize as BTC or ETH are smart contract records on their respective decentralized networks.

In other words, what it means to hold these cryptocurrencies, is to hold an updated and immutable blockchain record — a public ledger. In turn, crypto wallets are not containers as one would traditionally think of them. Instead, a digital wallet is a software that gives access to the blockchain network via private keys.

The crypto part of cryptocurrency is an additional layer of security on top of the blockchain, as the interaction between the public ledger and wallets is encrypted. However, beyond encryption itself, there is a divergence in how blockchain ledgers are secured. These are the consensus algorithms.





### Consensus Algorithms

For cryptocurrencies to run safely on a distributed digital ledger (DLT), each cog of the network holds an entire record of all transactions, thus avoiding the potential for a single point of failure (SPOF). These cogs, as network computers, are called full nodes. When a transaction happens, such as a person A sending person B 1 BTC, this new data block is added to the ledger across the nodes.

The key question, then is, how do nodes reach an agreement to determine that this exact new data block is the updated state of the entire blockchain network? This is the job of consensus algorithms, as they establish trust between unknown network nodes.

As such, blockchain consensus protocols consist of multiple layers by which agreement on the new blockchain state is achieved:

- Equal rights and mandatory participation of every node.
- Collaboration between the nodes.
- Fault-tolerance, i.e., the network doesn't require full participation and the response of all nodes. Instead, if some fail, a consensus is reached with a minimum response of 51% of all nodes.
- Incentives for securing the network.

In short, the blockchain's consensus algorithm ensures that new entries into the distributed database are valid. The end result is a trustless network that makes it possible to have P2P money without any gatekeepers and institutions. However, there are different ways to set up consensus algorithms while achieving the same result.



### Proof-of-Work vs. Proof-of-Stake

Although Cynthia Dwork and Moni Naor introduced the proof-of-work concept in 1993, it was Satoshi Nakamoto that re-introduced and implemented it in his Bitcoin whitepaper 15 years later. Satoshi's proof-of-work consensus introduced a mechanism to stamp out double spending and other malicious behavior that can potentially appear in a P2P network.

At the same time, an incentive to secure the network must be present as well. After all, when there is no central organization, running nodes necessitates an inherent incentive structure. Consensus algorithms not only coordinate nodes but provide that incentive structure.

Therefore, the binding feature of all consensus algorithms is they all require nodes to have a stake in order to be penalized if acting maliciously. In the case of proof-of-work, that stake comes from the computing power provided by transaction validators called miners. For their service, miners receive rewards. It is then in the interest of miners to be honest, as only the miners verifying the longest chain receive rewards. Satoshi explained this in his Bitcoin whitepaper as follows:



“As long as a majority of CPU power is controlled by nodes that are not cooperating to attack the network, they’ll generate the longest chain and outpace attackers”.

In technical terms, miners within a proof-of-work network use their hardware to process incoming data (transactions) by running them through cryptographic hash functions. This simply means that they convert this data into a string of letters. However, when it is run through the function again, it delivers the same output.

In other words, an input cannot be derived from looking at the output. This is important to note because miners introduce an arbitrary number called a nonce to establish valid data blocks. This way, they can prove before-hand knowledge, establishing their honest network status.





















## Chapter II - Not All Cryptocurrencies Are Created Equal

This hashing process requires heavy electricity usage and specialized ASIC hardware. Nonetheless, Bitcoin's miners have a substantial stake in securing the network, by paying for both the electricity and the ASIC mining machines themselves. Both of these elements constitute the 'work' in proof-of-work.

Proof-of-stake is based on the same principles of staking, developed in 2011. The difference is that validators don't put forward a computing stake but an economic one. Instead of running cryptographic hash functions, validators in a proof-of-stake blockchain lock up their cryptocurrency funds in a wallet.

The same wallet can then be either penalized or rewarded. Validator software randomly picks which transactions will form the next data block. If the validator's block gets added, the networked recipient receives a reward in the blockchain's native currency. The chance increases if there are more funds staked.

If there is something iffy going on with block validation, the validator's staked funds get slashed, Meaning their locked-in tokens staked in the associated wallet are reduced. For instance, this might happen if the validator signs two different blocks to be added to the same slot, which constitutes a proposal offense.

EPOCH	SLOT	↑↓ AGE	SLASHED VALIDATOR	↑↓ SLASHED BY	↑↓ REASON
105025	3360802	17 days 7 hrs ago	 66065	 169688	Attestation rule offense
104362	3339591	20 days 6 hrs ago	 19299	 136216	Proposer rule offence
95785	3065150	58 days 8 hrs ago	 270651	 268377	Attestation rule offense
89764	2872461	85 days 3 hrs ago	 62830	 172962	Attestation rule offense
88569	2834210	90 days 10 hrs ago	 39710	 12660	Attestation rule offense
87951	2814433	93 days 4 hrs ago	 88657	 88558	Attestation rule offense
87942	2814146	93 days 5 hrs ago	 88632	 137252	Attestation rule offense
87936	2813961	93 days 6 hrs ago	 88655	 270454	Attestation rule offense
87900	2812801	93 days 10 hrs ago	 88656	 126797	Attestation rule offense
86111	2755555	101 days 8 hrs ago	 203983	 87751	Attestation rule offense

In the Ethereum ecosystem, the slashing mechanic is commonly divided between attestation and proposer offenses. Source: beaconsan.com


By the same token, a validator can be slashed for an attestation offense if they vote on adding a new block, this attestation passes with an agreement by 2/3 of the network, but the attested validator doesn't meet the 12-second timeframe from the proposal to the attestation of every new block.

## Chapter II - Not All Cryptocurrencies Are Created Equal

When accounting for the pros and cons of proof-of-work vs. proof-of-stake, we arrive at three key conclusions:

1. PoW relies on electricity-intensive computational power while PoS relies on economic staking to secure the network.
2. PoW miners compete against each other for transaction fees and block rewards while PoS validators work together to build blocks..
3. PoW attackers would have to have computational power greater than 51% of the network to succeed, while PoS attackers would have to own more than 51% of the network.

The first and third points are cause for many controversies because it is more likely that a PoS attack would succeed. After all, it is far more feasible to organize an economic attack than an infrastructural one. In other words, PoW has a sturdier physical foundation for attackers to overcome as they would have to accumulate enough CPU power to go against 51% of the network. At this point, such an attack is practically unfeasible.




Source: Etherplan.com

Yet, it is PoW's physical stake that is also the subject of mediatic attack. The formula for Bitcoin's energy usage has been well-established among mainstream media outlets — 'Bitcoin uses as much electricity as country X'. However, what does the data show when put into proper context with other technological, financial, and consumption sectors?

# The Impact of PoW/PoS Algorithms on the Environment

Proof-of-work, specifically for Bitcoin, has created an ecosystem of mining companies and mining hardware manufacturers. They deploy ASIC farms that tend to conglomerate and centralize, as they streamline every bit of electricity into Bitcoin's hash rate power, delivering optimal cost-to-BTC reward ratio. The aforementioned cryptographic hash function is measured by the network's total hash rate (TH/s), holding at 305.5m TH/s as of April 4, 2023.




In mid-2021, Elon Musk's tweet about withdrawing Bitcoin payment from Tesla, and the China mining ban, triggered a market crash, mirrored by the Bitcoin network's loss of hash rate. Source: Blockchain.com

In turn, Bitcoin's hashing carbon intensity, measured as a gram of carbon dioxide per tera (112)) hash (gCO<sub>2</sub>/TH), was under 0.008 according to CoinShares January 2022 report.



## Chapter II - Not All Cryptocurrencies Are Created Equal

FIGURE 1: CARBON INTENSITY OF HASHING (gCO<sub>2</sub>/TH)



Source: CoinShares Research (Jan 2022)

Put into the global context, Bitcoin's network by the end of 2021 generated 41 megatonnes (Mt) of carbon dioxide (CO<sub>2</sub>) for that year. This represents less than 0.08% of global emissions for the same year, which was 49,360 Mt of CO<sub>2</sub>. Although this percentage may seem minor, it still showcases its impact, the need to reduce its carbon footprint and employ offsetting measures while on that reduction journey.


Overall, the cryptocurrency mining market size has been estimated to be worth \$ 4502.4 million by 2026, according to Absolute Reports Research published in April 2022. It estimates the compound annual growth rate (CAGR) to be 2.7% over the next five years. Some of the more notable cryptocurrency mining companies are the following:

- BitMain Technologies
- Canaan Creative
- HIVE Blockchain Technologies
- Hut 8 Mining Corp
- Riot Blockchain
- Marathon Digital Holdings
- Cleanspark
- Bitfarms
- Ironmountain
- F2Pool
- Genesis Mining
- ASICMiner

## Chapter II - Not All Cryptocurrencies Are Created Equal


Bitmain, with its Antminer S series, covered the bulk of global cryptocurrency mining in 2021, while Whatsminer M series, manufactured by MicroBT, tags along at close second place.

**Figure 3: Total Hashrate by Hardware Unit (EH/s)**



Source: CoinShares Research (Jan 2022)

Altogether, cryptocurrency mining companies often make news headlines like 'Bitcoin uses as much electricity as country x'. This framing stems from the estimates done by the Cambridge Centre for Alternative Finance, previously estimating Bitcoin's annualized energy consumption at 138.57 TWh in 2022.




Bitcoin network's daily power demand in gigawatts (GW). Source: CCAF.io

## Chapter II - Not All Cryptocurrencies Are Created Equal

Compared to nation-states in 2022, this placed Bitcoin's network energy consumption between Sweden (123TWh) and Malaysia (150 TW/h), according to the U.S. Energy Information Administration (EIA). However, when zoomed out further on a global scale and compared to industries as a whole, Bitcoin uses less energy than tumble dryers.

### Carbon Emissions of Bitcoin Jan 2022 Compared to Other Industries

In 2021, the Bitcoin network emitted an estimated 41 metric tons of CO<sub>2</sub> which is lower than the global banking industry, gold industry, and every other industry shown below.



Note: Data was pulled from CoinShares' report released in Jan.2022 which references multiple data sources from various dates.

Data as of: Jan. 2022

Source: CoinShares

Such a perspective shines a different light on Bitcoin's energy consumption. It then becomes a subjective matter of deciding what is more important in contrast between a decentralized, deflationary monetary system or:

- Waiting for a bit longer for clothing to dry out.
- Using social media platforms (data centers) to pass the time.
- Using the global banking system, despite that, the same functionality can be achieved with blockchain dApps for a fraction of the cost.

## Chapter II - Not All Cryptocurrencies Are Created Equal


Nonetheless, environmental activists continue to target Bitcoin and other PoW cryptocurrencies. On March 29th, 2022, Greenpeace, a global campaigning eco-network founded in 1971, launched the CleanUpBitcoin campaign. The demand is for Bitcoin to change its consensus from PoW to PoS, as the latter network consensus mechanism coordinates blockchain nodes for a tiny energy consumption cost compared to PoW.

One of Bitcoin's Lightning Network developers, Rene Pickhardt, responded by asking Greenpeace to hire developers to institute Bitcoin's hard fork that runs on a proof-of-stake consensus mechanism. After all, Bitcoin code has always been open source. Therefore, it would be easy for Greenpeace to divert its substantial marketing money into developer work. The market demand for the new chain would then decide which type of network security is more popular.


Interestingly, the former Greenpeace president, Dr. Patrick Moore, diverged with the organization based on its foundational claims filing today's media space: climate change, carbon footprint, greenhouse emissions, coral reefs, warming, etc. Dr. Moore offers a data-based approach to cover these common themes in his book *Fake Invisible Catastrophes and Threats of Doom*.

Whatever the case may be, it is factual that PoW is far more energy-intensive than PoS. The Ethereum Foundation estimated that when the Ethereum blockchain fully transitioned from PoW to PoS via the Merge, its energy consumption would be reduced by a factor of 2,000x.

ESTIMATED POWER CONSUMPTION



ESTIMATED POWER CONSUMPTION





Combined with Ethereum's scalability solutions that also use PoS, such as Arbitrum, Polygon, Loopring, Immutable X, Optimism, and others, Ethereum was poised for a ~99.95% energy reduction in late 2022. Such a move brings the largest smart contract platform from the level of nation-states at continuing 5.13-gigawatt usage to the level of a tiny town using about 2.62 megawatts.

This places PoW cryptocurrencies like Bitcoin awkwardly, as Ethereum creates a media-tic fallback position. The headlines will then likely transition from 'Bitcoin uses as much energy as country x' to 'Ethereum uses much less energy than Bitcoin'.

However, without changing Bitcoin's code, a strong case can be made that Bitcoin's environmental impact is reducing as the tech and renewable energy sources improve.





### How Is Crypto Mining Going Green?

Just as Greenpeace launched a campaign to "clean up Bitcoin," so did mining companies gather data on the type of electricity they use for securing Bitcoin's network. After all, there is a difference if it comes from a coal plant or a hydroelectric power plant, as the latter reduces greenhouse gas emissions by 97.7%.

According to the Cambridge Bitcoin Electricity Consumption Index, the Bitcoin network used 138.44 TWh of annualized consumption as of March 2022. The world uses approximately 23,900 TWh, making Bitcoin's energy drain at 0.57%.

However, how much of that 0.57% comes from renewable sources? The Bitcoin Mining Council is an organization that gathers most of the mining companies previously listed. Consisting of 55 mining companies and DeFi platforms.



## Chapter II - Not All Cryptocurrencies Are Created Equal

For Q3 2021, BMC issued a report that states that Bitcoin uses only 0.12% of the world's energy production. This reduction is because 0.38% of global Bitcoin mining uses energy that would have been otherwise wasted.



**154,620 TWh**

Total energy generated worldwide

**50,000 TWh**

Energy lost due to inefficiencies

**188 TWh**

Energy consumed by bitcoin mining on the world's electric grid

**GLOBAL BITCOIN MINING CONSUMES 0.12%**

of the world's energy production

**GLOBAL BITCOIN MINING CONSUMES 0.38%**

of the world's energy wasted

The BMC report aligns with the previous report from CoinShares in 2019, stating that 74% of Bitcoin mining comes from renewable sources. Likewise, there is also the matter of computing efficiency itself.

The BMC report estimated that the computing-to-energy cost ratio would increase dramatically in the next 8 years. Case in point, Bitman mining company announced 'Antminer S19 XP Hyd' in March 2022. As it employs liquid cooling, it can generate 255 TH/s computing power while only running at 5.3 kW. The average air conditioner unit uses about 3.5 kW during warmer days.

## Chapter II - Not All Cryptocurrencies Are Created Equal


If this latest generation of ASIC miners is to be fully deployed, Bitcoin's total energy consumption would be significantly downgraded:

- Total Bitcoin hash rate - 196 million TH/s
- One 'Antminer S19 XP Hyd' - 255 TH/s
- 768,627 new Antminers are needed to fill 196 million TH/s
- Each running at 5.3 kW would then exert a total energy drain of 4 gigawatts.

Moreover, alongside more efficient mining rigs in the near future, there is a wide range of green initiatives to inch Bitcoin closer to 100% green status.

Mining companies themselves launch such initiatives regularly. For instance, Bitmain joined the US-based Merkle Standard for sustainable Bitcoin mining in February 2022.

Merkle Standard launched to develop North America's negative carbon footprint when digital mining assets. While Merkle Standard uses hydroelectric power in Eastern Washington, Bitmain has been tasked to develop 500 megawatt worth of clean mining infrastructure with its 150k mining rigs.







## El Salvador Relying On Bitcoin Mining Powered By Volcanoes

Soon after the President of El Salvador, Nayib Bukele, made Bitcoin legal tender in September 2021, he announced the next big move — Bitcoin mining powered by geothermal energy. This energy source has a massive advantage over both solar and wind, as it is available 365 days per year, 24/7. Therefore, it doesn't create intermittent daily fluctuations that stress the electric grid.

El Salvador is heading to build a Bitcoin City near the geothermal vents, financed by volcano-backed bonds. The total financing package holds \$1 billion in bonds, with a 6.5% interest rate paid back to bondholders. That is if everything goes according to plan.

The architect of this ambitious project is Samson Mow, former chief strategy officer for Blockstream, a Canadian blockchain company. He intends to issue \$1 billion in bonds through the Liquid Network, a layer 2 scalability network specific to Bitcoin transactions. At the end of the bond, the chain will be a Bitfinex exchange, using both Bitcoin's Lightning Network and Liquid Network, while the bonds will be purchasable as securities via either BTC or USD.

At the end of the line, half of the bond proceeds will go into buying Bitcoin and the other half into funding energy and mining infrastructure for Bitcoin City. Suffice it to say the success of this project depends on Bitcoin's appreciation. If successful, Bitcoin City will showcase the dominant cryptocurrency as the building block for revitalizing an entire nation.

In the meantime, President Bukele has already spent \$180 million to roll out over 200 Bitcoin ATMs. However, the anticipation itself is turning profitable as El Salvador increased its tourism by 30% in 2022 since Bitcoin's adoption.

# Hydroelectric Power Plants To Power Bitcoin Mining

Alongside geothermal, hydroelectric has been a staple of renewable energy due to its reliable stability.

Furthermore, hydropower plants are ideally suited for mining because they often deliver excess energy during snow melts and rainy seasons. Without proper storage facilities, this energy is wasted.

Case in point, when China's hydroelectric installations across southwestern Sichuan ramp up, the authorities lower electricity rates to record low levels, at \$0.03 per kWh. This pricing mechanism stimulates the over-consumption of cheap energy.

As a receptacle of this waste, Bitcoin mining farms are often seen tapping into hydropower. One of many such examples is the 100-year-old Alta Novella hydro plant in northern Italy. In its turbine room, it houses 40 ASIC miners.



Sandali Handagama/CoinDesk

Interestingly, during relatively dry conditions, such plants are usually shut down, as it is too cost-ineffective to keep them running. However, even at the low output, it's worthwhile keeping them operational to run Bitcoin mining rigs.



## Chapter II - Not All Cryptocurrencies Are Created Equal

Furnished by Alps Blockchain, the Alta Novella hydro plant is just one of 18 in northern Italy, to double the number by the end of 2022. Taking over old or defunct hydropower facilities has become a trend.

The CEO of Digital Power Optimization, Andrew Webber, has specialized in this venture. His company provides cryptocurrency mining as a service and even facilitates other miners to manage their energy resources better. More importantly, it seeks underfunded hydro plants to repair them and put them to mining use.

"There's a lot of defunct and underfunded hydroelectric assets around North America and elsewhere, frankly, that maybe haven't had their maintenance ... kept up to date,"

↳ Andrew Webber



### Harnessing Wasted Gas

Continuing with the theme of utilizing energy that would have gone to waste, Exxon-Mobil, the largest US oil and gas producer, has been working on a pilot project to mine Bitcoin in North Dakota. In collaboration with Crusoe Energy Systems, a Denver-based company that manages natural gas flaring, Exxon is diverting natural gas into generators that power Bitcoin miners in shipping containers.

Without this funneling, the gas would be burned off, i.e., wasted. Exxon has been experimenting with and expanding this project since January 2021. According to Eric Obrock's LinkedIn profile, who is a 10-year NGL (natural gas liquids) industry veteran, the project was a big success as it patched up a traditional waste of energy.



## Chapter II - Not All Cryptocurrencies Are Created Equal

"first successful commercial and technical demonstration of using Bitcoin Proof-of-Work mining as a viable alternative to natural gas flaring in the oil patch."



For those unfamiliar with gas flaring, it often happens when drillers hit a natural gas formation. If that gas cannot be safely and timely captured and transported, it is burned instead. This is why these installations often have burning flames in their regular landscape.




With the flaring turned into energy for Bitcoin mining rigs, such an environmental hazard is nullified and employed to good use.

### Are NFTs A Real Threat To Nature?

Unlike regular tokens that are mostly Ethereum's ERC-20 smart contracts, NFTs are ERC-721 or ERC-1155 smart contracts. Consequently, minting an NFT means creating a smart contract stored on a blockchain network.

Because smart contracts can tokenize a wide range of human activities, so too is NFT usage wide in scope. They can tokenize:

- Artwork, whether standalone or in blockchain games/trading cards.
- Tickets for sports and events, which can also serve as memorabilia.
- Video and music.
- Virtual merchandise on metaverse platforms for avatar characters.
- Domain names and documents.
- Real-world assets, such as real estate (CityDAO in Wyoming).



## Chapter II - Not All Cryptocurrencies Are Created Equal

Therefore, because NFTs are smart contracts, they use smart contract platforms. Accordingly, NFT trading is as energy-intensive as one can expect to see from PoS blockchains. In its pre-merge state, Ethereum was the largest smart contract platform using 238.22 kWh per transaction, according to Statista.



Ethereum 1.0 vs. Visa energy consumption in kWh. Source: Statista.com

However, Ethereum has moved from a proof-of-work model to a proof-of-stake model. This was a long-term project for the Ethereum Foundation and was projected to reduce the energy per transaction to as low as 35Wh, as there are no longer countless computers competing to finish each task, replaced with validators with their staked funds instead.

This is a reduction from annual power usage similar to some medium-sized countries to that of a small U.S. town. Since these transactions use some energy anyway, this move is a good step toward making cryptocurrencies and non-fungible tokens much better for the environment.”

Now that Ethereum’s Merge is complete, Ethereum is aligned with other PoS blockchains regarding energy expenditure. Now, we can compare previous Visa energy usage with the wide PoS ecosystem of blockchains into which Ethereum has entered.



## Chapter III - What Are The Cryptocurrencies That Are “Green” In Nature?

As explained in Chapter II, the Ethereum upgrade to proof-of-stake caused a 99.9% energy consumption reduction. The same applies to other PoS cryptocurrencies that use economic validation instead of mining computing power. Here are some more prominent ones developed as proof-of-stake from the get-go.



# Efinity

An effort of NFT and gaming-focused project Enjin, Efinity is a blockchain built on the Polkadot network. The network attempts to serve as a mainstream developer and user-friendly NFT experience that runs at low cost and high speeds. It describes itself as an NFT highway, as opposed to a general computing blockchain. Enjin CTO Witek Radomski has spoken about the use of Polkadot and its eco-friendly nature, saying,

“There are other, greener PoS protocols available: Polkadot is proving to be among the most viable and carbon-conscious options, using the equivalent of 6.6 US households worth of energy per year, which is why we’ve chosen it as the destination for our NFT para chain, Efinity. Parachains do not require additional energy resources, so Polkadot’s energy consumption will remain less than 0.001% of Bitcoin.”

Efinity aims to become a hub for fungible and non-fungible assets, with a new token standard for compatibility across all networks and standards.

Efinity’s native token, EFI, is used to transact and reward network participants. The latter group includes collator nodes that run the network, users who govern the network, buyers, sellers, early adopters and creators, and developers who can receive grants from these tokens from a community pool. EFI rewards even go so far as to reward those who initiate the highest bid on an NFT.








## Chapter III

Among the project's features are Discrete Accounts, virtual accounts that allow users to play blockchain games without needing to set up a crypto wallet, and crafting, which allows existing NFTs to be modified (or new ones created) using a predetermined recipe.

Radomski adds that, in the end, this will have a positive impact:



The intrinsic cultural value of NFTs has been overlooked, and I believe it is worth pursuing for the sake of our collective future. With so many Web 3.0 players and networks aiming to secure carbon neutrality, it's only a matter of time before a complete migration from Web 2.0 takes place, underpinning a net positive impact on our environment."





# Nano

Nano (NANO) cryptocurrency represents a shift from Bitcoin to Ethereum. Instead of having nodes with full blockchain records, each wallet address has its blockchain (block lattice) that is updated when transactions are executed. The updated status of this ledger is then relayed to the Nano blockchain, verified, and integrated after confirmations from other Nano nodes.

Therefore, unlike PoW and PoS networks, in which transactions are lined up for block inclusion and fee distribution, Nano nodes have voting power on who creates blocks. Because this can be done at low or zero fees, having transactions included in the Nano blockchain is executed without cost.

Nano has talked about how the argument around Bitcoin's energy usage is outright wrong,



“The argument around energy usage of Bitcoin in the cryptocurrency space is not about who is right or wrong; it is fundamentally about progress. If a better solution comes along, you use it - that has always been the case with technological progress. Arguments around the energy consumed for the Bitcoin network revolve around statements such as, ‘It uses renewable energy, so it's fine’ or ‘It's fine because the energy being used has already been created’ - this is the creation of a positive feedback loop of support and misguidances. The defense statements may not be factually incorrect; it doesn't matter. My point is that if there is a technology that has burst onto the scene, whether cryptocurrency or not - that is not looking towards a sustainable energy future of the world. More innovation needs to happen to make it so.” (George Coxon, director of the Nano Foundation)





In technical terms, Nano uses not just proof-of-stake consensus but a delegated proof-of-stake (DPoS), not just DPoS but its variation dubbed Open Representative Voting. Depending on the account balance, each node is delegated a voting weight. These votes can then be used or distributed to another Nano node. As for Nano's energy consumption, Nano's executives say,

“Nano has an energy footprint for 1 transaction being 0.00012kWh and a whole network that could run off a single wind turbine- to put this into perspective, that is 15.5million nano transactions using the same energy as a single bitcoin transaction.” (Colin LeMahieu, founder and director of the Nano Foundation)

With sufficient voting weight, each node can become a Principal Representative, able to vote on transactions in proportion to held funds. Furthermore, individualized account blockchains, called Block Lattice, make it possible for users to immediately update their account balances without waiting for network confirmations.

Interestingly, Nano also uses some measure of proof-of-work energy proofing as a discouragement tool against spamming the network with transactions.



Nano has already accomplished what Greenpeace is asking from Bitcoin now. However, those in charge are firm in their belief that crypto should support eco-friendly initiatives,



“Cryptocurrency firms that support and facilitate non-sustainable technologies yet have their tag line being ‘bank the unbanked’ or USP to provide banking for those in emerging economies - it is those people that you are supposedly trying to help that will feel the largest brunt of climate change and responsibility to not using or facilitating greener solutions must be taken.

Digital money should not cost the Earth.” (Colin LeMahieu, founder and director of the Nano Foundation)




# Cardano

Cardano (ADA) shares its origin with Ethereum, as Cardano's key developer, Charles Hoskinson, also co-founded Ethereum with Vitalik Buterin and six other founders. Given this shared legacy, Cardano is also a generalist smart contract platform designed to deploy dApps that cover NFT marketplaces, decentralized finance (DeFi), and blockchain gaming.

Named after the Italian mathematician Gerolamo Cardano, the network shares a commonality with Bitcoin: it has a fixed coin supply. While Bitcoin maxes out at 21 million, Cardano's ADA tokens are capped at 45 billion. Compared to Ethereum, which is yet to transition into a proof-of-stake consensus fully, Cardano was one from the get-go, dubbed as a third-generation smart contract platform.

Although Hoskinson left Ethereum for a monetary reason, as Vitalik sought to keep it open-source and nonprofit, Cardano became one of the most decentralized public blockchains with over 3,000 validator nodes. That may seem tiny compared to Ethereum's over 500k validators. However, such contrast is misleading.



## Chapter III

As long as the Ethereum validator has over 32 ETH (~\$58k), it can run multiple nodes. In contrast, the maximum capacity of Cardano's staking pool is 64 million ADA (~\$25m). There are 3,175 ADA staking pools with a 68.6% stake/supply ratio. Therefore, if Ethereum's validator accounting is to be applied to Cardano's ecosystem, the latter would have 200k validators ( $64 \times 3,175$ ).

With that said, the Cardano dApp ecosystem is yet to come online fully. While Ethereum hosts 4,008 dApps tied to the blockchain's smart contracts, Cardano only has 72 listed. The reason for this wide gap between the two platforms is that Hoskinson took a more robust, peer-review approach to code development.



Mirroring its delayed smart contract deployment and stagnant dApp ecosystem, ADA price has been less exciting than ETH over the last year. Source: Trading View.

The market will decide whether a more secure and robust coding practice pays in the end. However, when it comes to Cardano's energy output, it will certainly not draw attention from any environmentalist group. According to Cardano Blockchain Insights, the entire network consumes only 0.00278568 TWh. Compared to Bitcoin, this is 47,00 times less energy consumption.

# NETWORK ENERGY USAGE

**3,180**

Last Epoch Stake Pool Number

**2.4**

Energy Usage Per Pool Per Day in KWh

**2.785.680**

Energy Usage of Whole Network Yearly KWh

**256.51**

Energy Usage of Network in US Households

**876**

Yearly Single Pool Usage Per Pool in Kwh

**2.79**

Energy Usage of Whole Network GWh

**0.00278568**

Energy Usage of Whole Network TWh

## CONSTANTS:

**11,000**



Yearly Average US Household Energy Usage in Kwh


**365**

Days in Year

**100**

Watts Per Pool





**47.0K**

### Cardano How Many More Times Energy Efficient Than Bitcoin

Although this energy usage is bound to increase if Cardano approaches the Ethereum level of dApp activity, it will still be in the same ballpark range due to Cardano's economic staking instead of computational mining.






# Algorand

Algorand (ALGO) is another open-source PoS network aiming to create a dApp ecosystem based on blockchain's smart contracts. Developed by MIT computer scientist Silvio Micali, Algorand's main focus is facilitating near-instant payments. Specifically by having the capacity to process over 1,000 transactions per second (tps) and executing them in under five seconds.


This is way ahead of PoW Ethereum's standard of 14–17 tps under five minutes. Algorand makes this possible by having integrated a two-tier network structure. While Ethereum relies on layer 2 scalability networks, such as Arbitrum, Polygon, Optimism, Loopring, Immutable X, and others, Algorand was developed from the beginning with scalability in mind:



## Chapter III

- The first layer enables developers to create Algorand Standard Asset (ASA), which is equivalent to Ethereum's ERC-20 smart contract token standard. Layer 1 handles these simple token transactions, executed as Algorand Smart Contracts (ASC1s).
- The second layer handles more complex smart contracts one commonly finds in the DeFi space revolving around borrowing and lending dApps. Because they are executed off the main Algorand chain, they relieve the network of handling the most typical transactions — token transfers, i.e., payments.

Algorand founder Silvio Micali kept energy consumption in mind when designing the network,



"While some blockchains consume as much energy as a small country, Algorand consumes as much as 10 homes. Being green is our pride and our moral obligation. The less privileged are the first to suffer from the degradation of the environment - a blockchain that is bad for the environment is a bad blockchain. Period." said Silvio Micali in a recent keynote.


Algorand developed a public blockchain that runs on a version of proof-of-stake, which drives electricity consumption to almost zero...on a fundamental level," Silvio Micali said, "I care about the planet."

Just like Cardano, Algorand has a fixed token supply of 10 billion ALGO tokens. However, because Algorand uses a PoS variation — pure proof-of-stake (PPoS) — it means that all ALGO holders participate in securing the network and receiving transaction fees. Moreover, the minimum threshold is only 1 ALGO compared to Ethereum's high threshold of 32 ETH.

## Chapter III

While this drastically lowers the barrier of entry and incentivizes network participation, it remains to be seen if this will negatively affect the network's security in the long run. After all, a higher stake incentivizes greater care. Furthermore, Algorand doesn't even employ an Ethereum-like slashing mechanism for users who propose bad blocks.

However, that does not appear to have been a concern for others, as Climatetra-  
de CEO Francisco Benedito has said that Algorand was the right technology for its needs,


A large graphic featuring a light green rectangular area with a blue border. Inside the green area, there is a quote in black text. The quote is enclosed in large, 3D, metallic-looking quotation marks. The top right and bottom left corners of the green area are rounded. The quote text is: "After analyzing several technology providers and rigorous due diligence, we chose Algorand as the blockchain infrastructure to power our platform. We have no doubt, Algorand is the perfect solution due to its flexible architecture, low transaction fees, and scalability of transactional performance. In addition, they are the only pure proof-of-stake (PPoS) network, and we have an aligned business vision."

After analyzing several technology providers and rigorous due diligence, we chose Algorand as the blockchain infrastructure to power our platform. We have no doubt, Algorand is the perfect solution due to its flexible architecture, low transaction fees, and scalability of transactional performance. In addition, they are the only pure proof-of-stake (PPoS) network, and we have an aligned business vision."

In September 2021, Algorand Foundation introduced a slashing mechanism proposal in which bad actors would lose 8% of their staked ALGOs. However, it failed to pass in favor of the existing system in which they only lost distributed rewards without further penalties. As is the case with other PoS blockchain networks, Algorand's energy consumption is negligible at 0.000008 kWh per transaction.


### AVERAGE ENERGY CONSUMPTION PER TRANSACTION (APRIL 2021)

Algorand's transactions are all final



Source: Algorand Foundation

As of April 2023, Algorand has a \$1.5 billion market cap with fewer than 100 dApps, some of which are still in the testing phase. As Ethereum transitions into PoS this year with the Merge, Algorand's integrated two-tier structure and low energy consumption may not be enough for its long-term appeal.






# Stellar Lumens

Stellar Lumens (XLM) shares its origins with Ripple, both peer-to-peer (P2P) digital currencies developed by Jed McCaleb. However, while Ripple leans on the institutional side of money transfers with its banking and payment processor network, Stellar is focused on a granular, individual payment service.

To achieve that, the Stellar Network, launched in 2014, runs XLM tokens. Via this P2P money, the goal is to facilitate borderless payments with the least transaction fees possible. In other words, it helps the unbanked enter the digital economy by creating a decentralized remittance market, provided they have basic internet access and a smartphone capable of hosting a digital wallet.

While Terra and Tron's blockchains already provide such a service with stablecoins, Lumens acts as an intermediary money transmitter. Meaning, when user A sends user B money, the former can pick a different currency than the one user B receives.

The Stellar Network converts the original currency into XLM and seeks the optimal trading pair to deliver the destination currency. Stellar's Anchors make that exchange possible as they hold deposits and even issue credit. With all the Anchors within the same Stellar network, transactions are completed in under 5 seconds with a fee of only 0.00001 XLM (\$0.00000216).




## Chapter III

This undoubtedly makes the Stellar Network one of the most cost-effective ways to transfer money. Moreover, no mining or staking is involved as the Stellar Development Foundation (SDF) controls XLM supply, set at 50 billion.


Because it doesn't use either PoS or PoW, but its consensus algorithm based on the Federated Byzantine Agreement (FBA), dubbed Stellar Consensus Protocol (SCP), Stellar Lumens (XLM) is another network with exceedingly low energy consumption of only 0.00022 kWh per transaction.

Like Ripple, Stellar has accrued a large list of partners enabling its network to spread globally. IBM World Wire, CEX.io, Blockchain.com, MoneyGram, Circle, and Flutterwave. The latter is ideal for money transfers between Africa and Europe. Likewise, Blocknify can use the Stellar network to notarize official documents.

Presently, Stellar's market cap is \$2.8 billion.



# Conclusion



Bitcoin ushered in the concept of decentralized money for the first time in human history. Layered on top of the internet as native digital currency, Bitcoin's creator had to ensure its long-term viability as unassailable access to virtual and private banking. One that is outside the scope of central banking money supply manipulation.

Because of the importance of securing this monumental monetary revolution, the proof-of-work consensus was the go-to solution that provided the physical foundation for a virtual asset. This was critical during the first crypto decade due to the difficulty of grasping such a novel and untested blockchain concept.

If Bitcoin had been a proof-of-stake blockchain from the beginning, it might have never taken off. After all, the first wave of adopters could have taken over the network by owning 51% of the staking funds. In such a scenario, the digital cryptocurrency experiment would have failed, proving itself to be too unreliable.


Even Ethereum, as a more generalist smart contract platform, grew to its present \$216 billion market cap on the back of energy-proofing PoW. Now that Bitcoin has been thoroughly tested, having birthed the crypto ecosystem with it, it is easy to have the luxury to demand its PoS remake. And as Dr. Gebert of the European Blockchain Association pointed out, solutions require targeted economic and policy-related incentives,

“To fully realize the benefits of DLTs and support digital innovation, it will require targeted economic and policy-related incentives. This would be in line with the UN's Digital Cooperation recommendation to test new approaches "on a small scale before being rolled out widely—for example, through pilot zones, regulatory sandboxes, or trial periods.”



However, as the data clearly shows, utilizing 0.12% of the world's energy for such a valuable, equalizing financial service has to be contrasted with other industries and financial sectors. On equal footing, the blockchain sector is shaping to be one of the most innovative ones, always looking to not only seek alternative energy sources but upgrade base code as well.

In the end, due to the open-source nature of Bitcoin, which underpins the entire crypto market, such views can easily be accommodated via a hard PoS fork. It would then be up to the market to decide whether to adopt or reject it.






# References

- Center for Food Safety and Applied Nutrition. (2021, November 4). Economically Motivated Adulteration (Food Fraud). U.S. Food and Drug Administration. (link)
- Algorand Governance. (n.d.). Algorand. (link)
- Bayazit, Y. (n.d.). The effect of hydroelectric power plants on the carbon emission: An example of Gokcekaya dam, Turkey. ScienceDirect. (link)
- Bendiksen, C. (2020, March 20). Bitcoin Mining Update: June 2019. CoinShares. (link)
- Bext360 – Every. Single. Step. (n.d.). Bext360. (link)
- Bitcoin - Open source P2P money. (n.d.). Bitcoin.Org. (link)
- Bitcoin. Change the code, not the climate. (n.d.). Change the Code Campaign. (link)
- Bitcoin Mining Council. (2022, May 18). GLOBAL BITCOIN MINING DATA REVIEW. (link)
- CardanoCrowd Marketplace. (n.d.). CardanoCrowd Marketplace. (link)
- El Salvador News. (2022, February 22). El Salvador's tourism has grown by 30% since the Bitcoin Law. El Salvador in English. (link)
- Ethereum Foundation. (2021, May 18). Ethereum's energy usage will soon decrease by ~99.95%. Ethereum Foundation Blog. (link)
- IBM. (n.d.). IBM. (link)
- International - U.S. Energy Information Administration (EIA). (n.d.). U.S. Energy Information Administration. (link)
- Kimmell, M. B. C. (2022, February 11). The Bitcoin Mining Network. CoinShares. (link)

## References

---

- Michele Moretti, & Sylvestre Njakou Djomo. (n.d.). A systematic review of environmental and economic impacts of smart grids. ResearchGate. (link)
- Nano. (n.d.). Sustainability. Nano.Org. (link)
- Nick Szabo -- Smart Contracts: Building Blocks for Digital Markets. (n.d.). Phonetic Sciences, Amsterdam. (link)
- Pickhardt, R. (n.d.). Rene Pickhardt | Twitter. Rene Pickhardt. (link)
- Powerledger Energy Projects. (n.d.). Power Ledger Energy Projects. (link)
- Standard, M. (2022, February 11). Merkle Standard and BITMAIN Form Joint Venture to Develop up to 500 MW of Sustainable Data Center Infrastructure. Cision. (link)
- Włodarek, P. (2018, June 16). It seems to only cost \$3m to centralize Nano (RaiBlocks). Medium. (link)
- Zhao, H. (2018, February 27). Bitcoin and blockchain consume an exorbitant amount of energy. These engineers are trying to change that. CNBC. (link)



## **Autors**

---

→ **Rahul Nambiampurath**  
Editor  
rahul.nambiampurath@beincrypto.com

→ **Jessica Lloyd**  
Head of Global Growth  
jessica.lloyd@beincrypto.com

→ **Ryan Glenn**  
English Learn Writer  
ryan.glenn@beincrypto.com

→ **Vugar Adigozalov**  
Chief Marketing Officer  
vugar.adigozalov@beincrypto.com



# BE (IN) CRYPTO



**BeInCrypto has a massive library of articles on blockchain and crypto fundamentals. Check those out here:**



**BeInCrypto has a handpicked set of articles on mining, consensus algorithms, and everything energy-related, which you can find here:**